

# DEFENSE LOGISTICS AGENCY

AMERICA'S COMBAT LOGISTICS SUPPORT AGENCY

---



## DLA Troop Support Clothing & Textiles DOD Email Tent Superstore

2011 JOCOTAS/Industry Meeting & Exhibition







# NAME CHANGE

## DLA Troop Support Clothing & Textiles Directorate



2010 - Defense Supply Center Philadelphia renamed DLA Troop Support

Clothing & Textiles is a component of DLA Troop Support, a primary level field activity of the Defense Logistics Agency (DLA). In Fiscal Year 2010, C&T's sales of clothing, textiles and equipment to military personnel worldwide surpassed \$2.1 billion. While buying more than 8,000 different items ranging from uniforms, footwear and undergarments to ecclesiastical items, individual equipment, flags and tents, C&T actually manages over 31,000 line items when individual sizes are factored into the item mix.





# CLOTHING & TEXTILES



*Supporting the Warfighters!*




GLOBAL WAR ON TERROR



OPERATION IRAQI FREEDOM



OPERATION ENDURING FREEDOM




HUMANITARIAN OPERATIONS





# Clothing & Textiles Mission

Provide dress and field uniforms,  
field gear, tentage, and





# DSCP'S WARFIGHTER WEBSITE

June 4, 1998 began Development of Basecamp Website

The primary focus was addressed to Standard Tents and The COTS information was limited to basic data with Links to the vendors webpage.

## Commercial Off The Shelf (COTS) Tent Info

DSCP's POCs for the following items can be reached at:

<a href="#">Drash</a>	<a href="#">Johnson Outdoors</a>	<a href="#">Cellina Tent</a>	<a href="#">Schutt Industries</a>
	<a href="#">Base-X</a>	<a href="#">Alaska Structure</a>	<a href="#">Anchor Industries Inc.</a>
	<a href="#">Alaska Tent and Tarp</a>	<a href="#">Camel Manufacturing</a>	<a href="#">Montgomery Marketing, Inc.</a>

## Welcome To Warfighter's Archive Basecamp

### *The Tentage Super Store*

#### MILITARY SPECIFICATION STANDARD TENT SYSTEMS

									
<a href="#">Frame Type Expandable Tent 16' X 16'</a>	<a href="#">TEMPER Tent</a>	<a href="#">Lightweight Maintenance Enclosure</a>	<a href="#">Modular General Purpose Tent System</a>	<a href="#">Soldier Crew Tent</a>	<a href="#">Modular Command Post</a>	<a href="#">Traditional Arctic Tents</a>	<a href="#">Lightweight Extreme Weather Tents (LEWS)</a>	<a href="#">Marine Corps Combat Tent</a>	<a href="#">Screen Latrine</a>

#### [QUICK COMPARISON TABLE](#)

[SEARCH PAGE FOR POLES, LINES, PINS, COVERS OR TARPULINS](#)

[Resource Handbook \(Accessories, Support Parts and Shelter Links\)](#)



# TRANSITION TO DOD EMALL June 2007



## Tent Network for Technology Implementation (TENTNET)



## AC Inc. Huntsville Alabama

- Enhancements allow for customers to compare and research shelters as turn key systems and Mil-Spec solution sets.
- This allows for enhanced data capabilities for all Basecamp shelter related ancillary equipment.
- Customers are able to model shelters, lighting, flooring, HVAC, power generation... save to a shopping basket and one click to order their system. The Emall system will place the orders to the various managers of the items.
- Features complete systems of JOCOTAS Service Standard Shelters along with other Standard ancillary support equipment approved and tested by the Service Program Managers.



CAC: Identification Card - Windows Internet Explorer

http://www.cac.mil/CardInfoIdentification.html

common access card

8340-01-1... DSCP's Int... CAC: Id... x

Site Accessibility

**CAC**  
DoD COMMON ACCESS CARD

POLICIES & RESOURCES

CARD INFO GETTING THE CARD AUTHENTICATING THE CARD

## IDENTIFICATION CARD

The information below provides an in-depth look at the distinctions between the **next-generation Identification Card** and the **first generation Identification Card**.

**CARD INFO**  
[Security Features](#)

**ID RECIPIENTS\***

- Department of Defense (DoD) civilian employees
- Eligible contractor employees
- Non-DoD/Other government employees

**AFFILIATION**

- Senior Executive Service (SES)
- Civilians



**Email is now Common Access Card enabled**

Identification Card



# Standard Email Search

---

TENT, Frame Type Ex

Add to Cart

Category: Tent

Supplier: DLA Clothing and Textiles

\$2,223.33

NSN: 8340-xx-xxxx

In Stock: 501

PGC: 00000

UPC: 123456789

Results in the Email website displays the basic data.



## Specialty Stores


- Table of Contents
- Tent Superstore
- Extreme Weather Tent
- Frame Type Expandable Folder
- Lightweight Extreme Weather Tent
- Lightweight Maintenance Enclosure
- Modular Command Post
- Modular General Purpose Tent System
- Soldier Crew Tent
- Tent Arctic 10 Man
- Tent Modular Extendable Personnel
- Tent Hexagonal
- US Marine Corps Combat Shelter

Navigate the  
same as your  
Windows  
Explorer  
Folders




## Specialty Stores

Emall's most advanced features have been developed for the Tent Superstore





# Specialty Stores



Thumbnails  
explode high  
resolution parts  
breakdown.



# Specialty Stores


Out-Away Reference	NSN	DESCRIPTION
1	<a href="#">8340-00-566-7398</a>	End Section Fabric Includes: 1 ea. 9' line 9 ea. Footstops Slip, Tent Line
2	<a href="#">8340-00-566-7416</a>	Intermediate Section Fabric Includes: 4 ea. 9' lines 2 ea. 13' lines 16 Inch Wood Pin Window Pane
3	<a href="#">8340-00-566-7394</a>	Arch, Tent Frame (Does Not Include Header)
4	<a href="#">8340-00-238-9806</a>	Purlin, Assembly
5 or F	<a href="#">8340-01-452-7049</a>	Liner w/Transport Cover Includes: 2 ea. 8' sections
6 or C	<a href="#">8340-00-453-5646</a>	Floor, 16' Fabric
7 or B	<a href="#">8340-00-841-4648</a>	Cover, General Purpose, Small
8 or G	<a href="#">8340-00-556-9671</a>	Transport Cover, Purlins (one cover = one pair with straps) Fits 10 Purlins
9 or H	<a href="#">8340-00-556-9674</a>	Transport Cover, Arches (one cover = one pair with straps) Fits three Arches and Three Header Bars
10	<a href="#">8340-01-186-3030</a>	1 Pin Tent Pin Container
11 or K	<a href="#">8340-00-261-9749</a>	9 Inch Aluminum Pin
12 or I	<a href="#">8340-00-261-9750</a>	16 Inch Wood Pin
13	<a href="#">8340-00-252-2299</a>	Footstop, 9"
14 or J	<a href="#">8340-00-823-7451</a>	12 Inch Steel Pins, Red
15	<a href="#">8340-00-252-2269</a>	Line, Tent: Guy, 9'
16	<a href="#">8340-00-205-2759</a>	Slip, Tent Line
17	<a href="#">5340-00-177-4076</a>	Pin And Ring Quick Release
18	<a href="#">8340-00-566-7387</a>	Window, Pane

Component  
Part  
Identification



# Specialty Stores

Out-Away Reference	NSN	DESCRIPTION
1	<a href="#">8340-00-566-7398</a>	End Section Fabric Includes: 1 ea. 9' line 9 ea. Footstops Slip, Tent Line
2	<a href="#">8340-00-566-7416</a>	Intermediate Section Includes: 4 ea. 9' lines 2 ea. 13' lines 16 Inch Wood Pin Window Pane
3	<a href="#">8340-00-566-7394</a>	Arch, Tent Frame (Does Not Include He
4	<a href="#">8340-00-238-9806</a>	Purlin, Assembly
5 or F	<a href="#">8340-01-452-7049</a>	Liner w/Transport Co Includes: 2 ea. 8' sections
6 or C	<a href="#">8340-00-453-5646</a>	Floor, 16' Fabric
7 or B	<a href="#">8340-00-841-4648</a>	Cover, General Purpo:
8 or G	<a href="#">8340-00-556-9671</a>	Transport Cover, Purli (one cover = one pair Fits 10 Purlins
9 or H	<a href="#">8340-00-556-9674</a>	Transport Cover, Arch (one cover = one pair Fits three Arches and Bars
10	<a href="#">8340-01-186-3030</a>	1 Pin Tent Pin Container
11 or K	<a href="#">8340-00-261-9749</a>	9 Inch Aluminum Pin
12 or I	<a href="#">8340-00-261-9750</a>	16 Inch Wood Pin
13	<a href="#">8340-00-252-2299</a>	Footstop, 9"
14 or J	<a href="#">8340-00-823-7451</a>	12 Inch Steel Pins, Red
15	<a href="#">8340-00-252-2269</a>	Line, Tent: Guy, 9'
16	<a href="#">8340-00-205-2759</a>	Slip, Tent Line
17	<a href="#">8340-00-177-4076</a>	Pin And Ring Quick Release
18	<a href="#">8340-00-566-7387</a>	Window, Pane




Layered  
browser  
environment




## View Tent Options.


9. PLAIN WALL



8. ROOF CAP




4. PLAIN WALL LINER




Spare/Replacement parts link.

6. RAIN GUTTER  
(COMPLEX 2 COMMAND POSTS)



12. FRAME









7. FLOOR

13. TELE-  
SCOPIC  
DOORWAY  
POLE





# Ordering Spare Parts







# Kitting Support Components.



Ordering of tents with components.




### 3. LIGHT SET





# Turn Key Systems





# BASE CAMPS

**Configured Components presented to military users in a single location regardless of the manager of activity.**

**DoD Email includes the capability to:**

- **present systems that include multiple managers or buying activities**
- **place the orders to the proper activities that have existing contracts in place**
- **Package and ship a unitized assembly**
- **Distribute payment for each component**
- **Place on items on contract that does not have an active contract**





-----Original Message-----

From: Doe, John (DLIS)

Sent: Thursday, October 15, 2009 2:11 PM

To: Joe, GI

Subject: FW: Your colleague has sent you a Cart on DOD EMALL.

Your colleague has sent you a cart in Carts For Action on DOD EMALL And retrieve the cart named "Bare Base Command Module Package" Thank you for using DOD EMALL!

Tent Superstore Modular General Purpose Tent System Package Test

Cart: Bare Base Command Module Package

Accessories Available from US Army Natick: Light and Electrical

Distribution Plan 200 AMP Power Distribution Package Plan HVAC Kit Plan Floor

Floor Plan and additional information see:

Sent Cart			
Cart Item(s)	Price	Qty.	Extended
NSN: 8340014563628	\$7,183.04	5	\$35,915.20
NSN: 8340014771397	\$216.88	5	\$1,084.40
NSN: 8340014911449	\$426.11	5	\$2,130.55
NSN: 8340014911392	\$554.95	5	\$2,774.75
NSN: 8340014771390	\$733.97	5	\$3,669.85
NSN: 8340015230828	\$267.09	5	\$1,335.45
NSN: 8340011863026	\$430.01	5	\$2,150.05
	\$38.75	15	\$581.25
Total Extended Price: \$50,059.80		Extended Subtotals, by Currency: \$50,059.80	

Any configured tent system in a shopping basket can easily be saved and emailed to potential customers.



# Product Testing Results

merChoices.org | Cars: Buying guide 6/07 - Microsoft Internet Explorer provided by DSCP

Edit View Favorites Tools Help

Back Search Favorites

http://www.greenerchoices.org/ratings.cfm?product=auto

**ConsumerReports**  
**Greener Choices**  
Products for a Better Planet

Greener Choices Home > Cars > Cars: Buying guide 6/07

Cars: Buying guide 6/07



Google™ Custom Search  
Making green  
How to choose  
Assessing  
Making the  
Getting the most value  
What you can do  
Recycling & disposal  
Auto Rebates

**Products & green ratings**

- Appliances
- Cars
- Electronics
- Food & beverages
- Home & garden

**Toolkit**

- Calculators
- Eco-labels search
- Toxics search

**Hot topics & solutions**

- Electronics recycling center
- Global warming center
- More topics

**Green Ratings Cars**

These Ratings can help you choose a car with fuel economy in mind. You can sort the ratings chart by any column by clicking on the header of the column. Consumer Reports fuel economy ratings are derived from a series of actual road tests, including city, highway, and country-road driving. Each car is driven by at least two engineers to account for variability in driving styles. By contrast, the EPA's widely advertised mileage estimates are obtained through a laboratory test involving a machine called a dynamometer where car wheels are moved at different speeds while the car is stationary. We believe our estimates, which tend to be lower than the EPA's, more accurately reflect the fuel economy each car will get in real life.

Includes technical and safety comparison data similar to consumer publications.




# Test Report Results

## Test Data

Test	Description (Abbreviated)	Company Tested	Government Lab test report
Temperature Range, Operational	Minus ___ to plus ___ degrees F.		
Temperature Range, Storage	Minus ___ to plus ___ degrees F.		
Erect Time / # of Persons	___ / ___		
Strike Time / # of Persons	___ / ___		
Durability	Withstand ___ erect/strike cycles		
Field Life	Minimum of ___ years		
Shelf Life	Minimum of ___ years		
Wind Load, Steady	Steady wind speed of ___ mph for ___ minutes and resist rain intrusion		
Wind Load, Gusts	Three occurrences of wind gusts to ___ mph during ___ minute steady wind speed of ___ mph and resist rain intrusion		
Rain, Steady	___ inches per hour for ___ minutes		
Rain, Wind Driven	___ inches per hour for thirty minutes with wind speeds of ___ MPH and with three occurrences of wind gusts to		

Includes the capability to publish test reported performance results.



This capability in the future will allow the customer to make an educated decision on alternate COTS Shelters in the event of a JOCOTAS Standard Tent in backorder.

